




Jiexingtong Technology provides solutions for industries such as:

- industrial automation
- visual inspection
- new retail
- new energy
- digital finance
- smart healthcare
- cybersecurity
- rail transit
- digital security
- smart education
- edge computing
- mobile robotics
- smart power
- video conferencing, and more

Shenzhen Jiexingtong Technology Co., Ltd.
3rd Floor, Block C, Building B6, China Merchants Smart City, 3009 Sightseeing Road, Guangming New
Contacts: Lily (Sales Manager)
Mb: +86 13480822267
Skype: lovely1985
Email: lily@ecsuu.com
whatsapp: +86 13480822267
Web: www.ecsuu.com/en/



Specializing in industrial motherboards and computers for over 20 years, we offer comprehensive IoT/embedded solutions and design services.

Mini-ITX Type Industrial Motherboard

ECSUU®

EC-1910V



- Intel CPU - J1900/J1800N/N2840
- Display: VGA, HDMI, LVDS
- 10* serial ports, 10* USB
- Support dual network and single network (optional)
- DC 12V power supply
- Dimensions: 170*170mm

EC-5016




- Intel CPU - 4th/5th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-3816M



- Intel CPU - 6th/7th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-1016M



- Intel CPU - 8th/10th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-1616L2



- Intel CPU - 8th/10th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-1616L6



- Intel CPU - 11th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-1216P




- Intel CPU - 12th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-6216



- Intel CPU - J6412
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-3816L



- Intel CPU - 6th/7th Gen Core i3/i5/i7
- Display: VGA
- 1* serial ports, 2* USB
- 6 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 200*180 mm

EC-8116



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 1 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

EC-1116ML



- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 1 Ethernet ports (optional)
- DC 19V power supply,
- Dimensions: 170*170 mm

EC-2318




- Intel CPU - 2/3th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS
- 1* serial ports, 9* USB
- 1 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 170*170 mm

Mini-ITX Type Industrial Motherboard

ECSUU®

EC-8160V2



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, VGA+DVI
- 10* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 170*170 mm

EC-8166



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, DVI
- 12* serial ports, 14* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 170*170 mm

EC-1160M



- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 10* serial ports, 14* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 170*170 mm

EC-5166



- Intel CPU - 10th/11th Gen Core i3/i5/i7
- Display: VGA, DVI
- 10* serial ports, 14* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 170*170 mm

EC-1266




- Intel CPU - 12th~14th Gen Core i3/i5/i7
- Display: VGA, DVI
- 10* serial ports, 14* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 170*170 mm

Inches Type Industrial Motherboard

ECSUU®

EC-1916VS



- Intel CPU - J1900/J1800/N2840
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 146*102 mm

EC-5016S



- Intel CPU - 4th/5th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 146*102 mm

EC-3816S



- Intel CPU - 6th/7th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 146*102 mm

EC-8116S



- Intel CPU - 8th/10th Gen Core i3/i5/i7
- Display: VGA, HDMI, LVDS, EDP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 146*102 mm

NANO-ITX Type Industrial Motherboard


ECSUU®

EC-1912




- Intel CPU - J1900/J1800/N2840
- Display: VGA, HDMI
- 2* serial ports, 6* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 120*120 mm

EC-3812



- Intel CPU - 6th/7th Gen Core i3/i5/i7
- Display: DP, HDMI
- 2* serial ports, 6* USB
- 2 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 120*120 mm

EC-3812L4




- Intel CPU - 6th/7th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 2* serial ports, 4* USB
- 4 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 120*120 mm

Micro-ATX Motherboard


ECSUU®

EC-8166L



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, DVI
- 12* serial ports, 14* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 244*244 mm

EC-8166M2



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, HDMI, DP
- 10* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 244*244 mm

EC-1160M2



- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 10* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 244*244 mm

ATX Type Industrial Motherboard

ECSUU®

EC-8166L2




- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, HDMI, DP
- 10* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 305*244 mm

EC-1160L



- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: VGA, DVI
- 10* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 305*244mm

EC-1160L5




- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 10* serial ports, 10* USB
- 5 Ethernet ports (optional)
- ATX power supply
- Dimensions: 305*244 mm

ARM Motherboard

ECSUU®

EC-3996-D8




- Rockchip RK3399
- Display: HDMI, LVDS, EDP
- 8* serial ports, 10* USB
- 1 Ethernet ports
- DC 12V power supply
- Dimensions: 146*102 mm

ER-3918



- Rockchip RK3399
- Display: HDMI, LVDS, EDP
- 6* serial ports, 8* USB
- 1 Ethernet ports
- DC 12V power supply
- Dimensions: 134*95 mm

ER-3519



- Rockchip RK3568
- Display: HDMI, LVDS, EDP
- 6* serial ports, 9* USB
- 2 Ethernet ports
- DC 12V power supply
- Dimensions: 148*101.5 mm

OPS-PC


ECSUU®

EC-1266L




- Intel CPU - 12th~14th Gen Core i3/i5/i7
- Display: VGA, HDMI, DP
- 6* serial ports, 12* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 305*244 mm

EC-1266L2



- Intel CPU - 12th~14th Gen Core i3/i5/i7
- Display: VGA, HDMI, DP
- 6* serial ports, 12* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 305*244 mm

EC-1266M2



- Intel CPU - 12th~14th Gen Core i3/i5/i7
- Display: VGA, HDMI, DP
- 6* serial ports, 10* USB
- 2 Ethernet ports (optional)
- ATX power supply
- Dimensions: 244*244 mm

ES-1116P



- Intel CPU - 6th~9th Gen Core i3/i5/i7
- Display: DP, HDMI
- 6* USB, 1* serial ports,
- 1 Ethernet ports (optional)
- DC 19V power supply,
- Dimensions: 180*195*30-42MM

ES-1118P



- Intel CPU - 4th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 6* USB, 1* serial ports,
- 1 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 180*195*30-42MM

ES-2318P



- Intel CPU - 2th~12th Gen Core i3/i5/i7
- Display: VGA, HDMI
- 6* USB, 1* serial ports,
- 1 Ethernet ports (optional)
- DC 12V power supply,
- Dimensions: 180*195*30-42MM

ES-1616L6



- Intel 11th Gen Core i3/i5/i7 Processor
- Display: DP, HDMI
- 2 x SO-DIMM slots, DDR4-3200MHz
- Storage: 2.5-inch SATA drive, 1 x M.2 (Key-B, 2280, NVMe SSD)
- 6 x Serial Ports, 8 x USB Ports
- 6 x Ethernet Ports (4 with PoE)
- DC 12V Power Supply
- Industrial PC Dimensions: 203 x 196 x 70 mm

ES-8116UC



- Intel 4th/5th/6th/7th/8th/9th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x SO-DIMM slot, DDR3L 1333/1600MHz
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 8 x USB Ports
- 2 x Ethernet Ports
- DC 12V Power Supply
- Industrial PC Dimensions: 203 x 196 x 70 mm

ES-8116S




- Intel 4th~11th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x SO-DIMM slots, DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 8 x USB Ports
- 2 x Ethernet Ports
- DC 12V Power Supply
- Industrial PC Dimensions: 206 x 125.6 x 64.4 mm

ES-3812




- Intel 6th/7th Gen Core i3/i5/i7 Processor
- Display: VGA,DP
- 1 x SO-DIMM slot, DDR3L 1333/1600MHz
- Storage: 1 x mSATA drive
- 2 x Serial Ports, 6 x USB Ports
- 2 x Ethernet Ports
- DC 12V Power Supply
- Industrial PC Dimensions: 134 x 126 x 40.6 mm

ES-8160V2



- Intel 4th~14th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x U-DIMM slot, DDR3/DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 10 x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions: 363 x 330 x 155 mm

ES-S40



- Intel 4th~14th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x U-DIMM slot, DDR3/DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 10 x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions: 363 x 330 x 155 mm

ES-1912



- Intel J1900/J1800/N2840 Processor
- Display: VGA,HDMI
- 1 x SO-DIMM slot, DDR3L 1333/1600MHz
- Storage: 1 x mSATA drive
- 1 x Serial Ports, 6 x USB Ports
- 2 x Ethernet Ports
- DC 12V Power Supply
- Industrial PC Dimensions: 134 x 126 x 40.6 mm

ES-8160V2



- Intel 6th/7th Gen Core i3/i5/i7 Processor
- Display: VGA,HDMI
- 1 x SO-DIMM slot, DDR3L 1333/1600MHz
- Storage: 1 x mSATA drive
- 2 x Serial Ports, 4 x USB Ports
- 4 x Ethernet Ports
- DC 12V Power Supply
- Industrial PC Dimensions: 178 x 125.7 x 55 mm

ES-1116VD



- Intel 4th~9th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x SO-DIMM slot, DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 8 x USB Ports
- 2 x Ethernet Ports
- DC Power Supply
- Industrial PC Dimensions:214x 200x 79.6 mm

ES-3816VE



- Intel 4th~10th Gen Core i3/i5/i7 Processor
- Display: VGA, HDMI
- 1 x SO-DIMM slot, DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 8 x USB Ports
- 2 x Ethernet Ports
- DC Power Supply
- Industrial PC Dimensions:235x 215x 55 mm

ES-1160L



- Intel CPU - 4th~14th Gen Core i3/i5/i7
- Display: VGA, DVI
- 2/4x U-DIMM slot, DDR4
- 2.5-inch/3.5-inch mechanical hard drive/SSD
- 6 x Serial Ports, 10x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:430x 473.9x177mm

ES-510



- Intel CPU - 4th~14th Gen Core i3/i5/i7
- Display: VGA, DVI
- 2/4x U-DIMM slot, DDR4
- 2.5-inch/3.5-inch mechanical hard drive/SSD
- 6 x Serial Ports, 10x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:430x 473.9x177mm

ES-1166Z



- Intel 6th~9th Gen Core i3/i5/i7 Processor
- Display: DP, HDMI
- 2 x SO-DIMM slot, DDR4
- Storage: 2.5-inch SATA drive, 1*M.2 (1*Key-B, 2242, SATA SSD)
- 6 x Serial Ports, 10 x USB Ports
- 3 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:280x 220x89 mm

ES-8166



- Intel 4th~14th Gen Core i3/i5/i7 Processor
- Display: VGA,DVI
- 1 x U-DIMM slot, DDR3/DDR4
- Storage: 2.5-inch SATA drive, 1 x mSATA drive
- 6 x Serial Ports, 14x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:275x 228x89mm

ES-5120



- Intel 4th~14th Gen Core i3/i5/i7 Processor
- Display: VGA,HDMI
- 2/4x U-DIMM slot, DDR4
- 2.5-inch/3.5-inch mechanical hard drive/SSD
- 6 x Serial Ports, 10x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:320x 315x64mm

ES-2407



- Intel 4th~14th Gen Core i3/i5/i7 Processor
- Display: VGA,HDMI
- 2/4x U-DIMM slot, DDR4
- 2.5-inch/3.5-inch mechanical hard drive/SSD
- 6 x Serial Ports, 10x USB Ports
- 2 x Ethernet Ports
- ATX Power Supply
- Industrial PC Dimensions:330x 405x195mm

