



## Cash-enabled self-service kiosk

C27

If you're interested in providing a one-stop self-service journey for your customers, the C27 will deliver. Combining ACRELEC's state-of-the-art kiosks and GLORY's cash automation technology, this innovative and all-in-one solution enhances efficiency and convenience without sacrificing profit or space. Cash, card, or mobile means your customers will benefit however they choose to pay. With the Acrelec Transformation Platform software, take advantage of multi-function capabilities, allowing the kiosk to service more than one business function in the same unit.

USD



# More than just hardware, our ATP software provides a powerful platform for rapid and scalable business application development. What's holding you back?

<b>Dimensions (W x D x H)</b>	Single sided: 20.5" x 15.4" x 71.5"	Double sided: 20.5" x 16.2" x 71.5"
<b>Weight</b>	Single sided: 319.7 lbs	Double sided: 403.5 lbs
<b>Power supply</b>	100-240 VAC, 50/60 Hz	
<b>Current consumption</b>	Single sided: 2.5 A	Double sided: 4 A
<b>Operating environment</b>	41°F to +104°F (5°C to +40°C), 20 to 80% relative humidity, non-condensing	
<b>Storage environment</b>	-4°F to +158°F (-20°C to +70°C), 5 to 90% relative humidity, non-condensing	
<b>Max. operating altitude</b>	2000 m	
<b>Material</b>	Steel, aluminum, stainless steel	
<b>Protection</b>	IP20, designed for indoor use	
<b>PC</b>	<b>Processor:</b> Intel Core i3-8100T 3.1 GHz <b>Memory:</b> SSD 128 GB, RAM 16GB <b>Connectivity:</b> 4 x USB 3.0, 4 x USB 2.0, 1 x DP, 1 x HDMI, 2 x COM, 2 x Gigabit Ethernet, Audio in/out	
<b>LCD Touch Panel</b>	LCD Multi-Touch Projected Capacitive Monitor 10 points <b>Size:</b> 27" <b>Display area:</b> 598 x 336 mm <b>Interface:</b> USB <b>Number of pixels:</b> 1920 x 1080 pixels <b>No. of colors:</b> 16.7 million colors <b>Vision angle:</b> Vertical 178° / Horizontal 178° <b>Contrast typ:</b> 3000; min 1800 <b>Brightness typ:</b> 264 nits, min 211 nits <b>IK Level:</b> 07	
<b>QR Code Reader</b>	<b>Type 1D/2D Barcode Reader Interface:</b> USB <b>Image sensor:</b> 1280 x 800 pixels <b>Vision angle:</b> Vertical 28° / Horizontal 42° <b>Ambient light:</b> 0-96900 lux <b>Optical:</b> 4.0 mil (Code 39), 5.0 mil (Code 128), 5.0 mil (PDF417), <b>Resolutions:</b> 10 mil (Data Matrix), 20 mil (QR Code)	
<b>Printer</b>	<b>Technology:</b> Direct thermal line printing, Black / White <b>Resolution:</b> 203 x 203 DPI <b>Print Speed:</b> 250 mm/s or 203 x 180 DPI <b>Print Width:</b> 83mm <b>Sensor(s):</b> Front cover, paper end/mark and paper near end <b>Paper Type:</b> Continuous paper, Marked paper <b>Paper thickness:</b> 0.06mm-0.1mm <b>Paper weight:</b> 60/145g	

<b>Semaphore</b>	12V RGB LEDs, controlled by USB
<b>Options Available</b>	EFT: Different preparations available
<b>Safety certifications</b>	IEC / UL / EN62368-1
<b>EMC, EMI certifications</b>	CISPR32 / EN55032 class A, CISPR 35 / EN55035, IEC / EN61000-3-2, IEC / EN61000-3-3, FCC part 15 / CAN ICES-003 class A

	Banknote recycler	Coin recycler
<b>Function</b>	Rejects foreign objects in coin inlet Dynamic "follow-me" LED guidance for deposit and dispense transactions Encryption interface for enhanced data security Easy-to-understand error recovery animation Reduced banknote exposure with collection cassette Banknote alignment function in the inlet, to avoid feeding errors	
<b>Currencies</b>	USD. For other currency information, please contact your local GLORY office for further information.	
<b>Number of Recycle Modules</b>	2 recycle modules	2 recycle modules
<b>Capacity</b>	100 notes / recycle <sup>1</sup>	Total 2 mixed coin stackers 1,300 coins <sup>3</sup>
<b>Collection Capacity</b>	150-350 notes <sup>1</sup>	-
<b>Total capacity of banknotes/coins</b>	350-550 notes <sup>1</sup>	1,300 coins <sup>3</sup>
<b>Deposit</b>	<b>Capacity of inlet:</b> 30 notes <sup>1</sup> <b>Speed of cash in:</b> 3 notes / sec <sup>1</sup>	<b>Capacity of inlet:</b> 50 coins <sup>2</sup> <b>Speed of cash in:</b> 5 coins / sec <sup>2</sup>
<b>Dispensing</b>	<b>Capacity of outlet:</b> 10 notes <sup>1</sup> <b>Speed of cash out:</b> 3 notes / sec <sup>1</sup>	<b>Capacity of outlet:</b> 50 coins <sup>2</sup> <b>Speed of cash out:</b> 5 coins / sec <sup>2</sup>
<b>Terminal</b>	FCC included in the cash device <sup>1</sup> RK-10A model only	

1 Dependent on banknote quality. Capacities are for reference only and are not guaranteed.

2 The capacity of coins is calculated in USD 1 cent.

3 Coin capacity is calculated based on a recommended combination of recycled coins and their ratio. If the combination or ratio is changed, the capacity may change.

Specifications are subject to change without notice. Please read the instruction manual carefully to ensure correct equipment usage. All figures, capacities and speeds quoted in this brochure are as tested by GLORY LTD. They may vary depending on usage conditions and are not guaranteed.

## Related solutions...

### C-Mini Payment Station

Compact solution enabling automated cash handling at point-of-sale positions.



### UBIQULAR™ Software

A remote device management solution for cash automation devices that maximizes device operational availability.



### CI-100X

A high speed, middle capacity banknote recycler that meets the demands of large retail organizations.



Glory, 3333 Warrenville Road, Suite 310, Lisle, IL 60532 USA

+1 (800) 527-2638 info@us.glory-global.com [glory-global.com](http://glory-global.com)

DS-ACRELEC-C27-0924/US\_2.0

Glory Global Solutions is part of GLORY LTD. This document is for general guidance only. As the referenced products and services are continually being developed it is important for customers to check that they have the latest particulars. Although every precaution has been taken in preparation of this document, Glory and any other company identified or referred to in this document accept no responsibility or liability for loss or damages resulting from the use of, or reliance on, the information contained in this document. This document is not part of a contract or licence save insofar as may be expressly agreed. All capabilities, capacity and throughput figures are subject to note/coin size, note/coin quality and process used. GLORY, ACRELEC and their associated graphical representations are each a trademark or a registered trademark of GLORY LTD. Group of Companies in the EU, the U.S. and other countries. QR Code is a registered trademark of DENSO WAVE. © Glory Global Solutions (International) Limited 2024.